



---

**MATHEMATICS**

**0580/32**

Paper 3 (Core)

**May/June 2018**

MARK SCHEME

Maximum Mark: 104

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

---

IGCSE™ is a registered trademark.

This document consists of **7** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Abbreviations**

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Marks	Partial Marks
1(a)(i)	138	1	
1(a)(ii)	128	1	
1(b)(i)	135	1	
1(b)(ii)	121	1	
1(b)(iii)	134	1	
1(b)(iv)	125	1	
1(c)	24	2	<b>B1</b> for numerator of $-24$ or denominator of $-1$ or answer of $-24$
1(d)	$\frac{20 \times \sqrt{9}}{30 \div 6}$	<b>M1</b>	<b>M1</b> for all correct roundings
	12	<b>A1</b>	If 0 scored <b>SC1</b> for 3 correct roundings or 20.[0] and 9.0[0] and 30.[0] and 6.0[0]
2(a)	Trapezium	1	
2(b)	Enlargement [Scale factor] $\frac{1}{3}$ oe [Centre] $(-5, -5)$	3	<b>B1</b> for each
2(c)	$\frac{1}{9}$	3	<b>B2</b> for $\left(\frac{1}{3}\right)^2$ or <b>B1</b> for [shaded area] 13.5 or [area of $A$ ] 1.5 seen <b>M1</b> for $\frac{1.5}{their 13.5}$ oe
2(d)(i)	Image at $(-6, 6), (-5, 6), (-5, 5), (-7, 5)$	2	<b>B1</b> for image of $A$ at $\begin{pmatrix} -4 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 7 \end{pmatrix}$
2(d)(ii)	Image at $(1, 1), (1, 2), (3, 2), (2, 1)$	2	<b>B1</b> for $180^\circ$ rotation with incorrect centre

Question	Answer	Marks	Partial Marks
2(d)(iii)	Image at (5, -2), (5, -1), (6, -1), (7, -2)	2	<b>B1</b> for reflection in $y = 2$ or in $x = k$
3(a)	7 : 4 : 5	2	<b>B1</b> for any correct ratio other than 21 : 12 : 15, not in simplest form
3(b)(i)	$\frac{7}{16}$ oe $\times 1248$	<b>B1</b>	
3(b)(ii)	[Mustapha] 312 [Joshua] 390	2	<b>B1</b> for each or <b>M1</b> for $\frac{1248}{21+12+15} \times k$ where $k = 12$ or $15$ or $\frac{1248}{\text{their } 7 + \text{their } 4 + \text{their } 5} \times k$ oe where $k = \text{their } 4$ or $\text{their } 5$
3(c)	2912	2	<b>M1</b> for $1248 \div 3$ [ $\times 7$ ]
3(d)	$13\,500 - 0.16 \times 13\,500 - 500$ or $0.84 \times 13\,500 - 500$	<b>M2</b>	<b>M1</b> for $0.16 \times 13\,500$ or $0.84 \times 13\,500$ seen
3(e)(i)	$3 \times 12 \times 340$	<b>B1</b>	
3(e)(ii)	12.9 or 12.91 to 12.92	3	<b>M2</b> for $\frac{12240 - 10840}{10840} [\times 100]$ or $\frac{12240}{10840} \times 100 [-100]$ or $\left(\frac{12240}{10840} - 1\right) [\times 100]$ or <b>M1</b> for $12240 - 10840$ or $\frac{12240}{10840}$ oe
4(a)	-6 4 4 0	2	<b>B1</b> for 2 or 3 correct
4(b)	Correct smooth curve	4	<b>B3FT</b> for 7 or 8 correct plots or <b>B2FT</b> for 5 or 6 correct plots or <b>B1FT</b> for 3 or 4 correct plots
4(c)	$x = 2.5$ cao	1	
4(d)(i)	-2 1 5.5	2	<b>B1</b> for 2 correct
4(d)(ii)	Correct continuous ruled line from $x = -1$ to $x = 6$	2	<b>B1FT</b> for 2 or 3 correct plots
4(d)(iii)	[ $x =$ ] -0.6 to -0.4 and 3.9 to 4.1	2	<b>B1FT</b> for each

Question	Answer	Marks	Partial Marks																												
5(a)	250	2	<b>B1</b> for 5 [ cm] oe																												
5(b)	Correct point <i>E</i> joined to <i>A</i> and <i>D</i> with ruled lines and with arcs	3	<b>B2</b> for correct point <i>E</i> with arcs without lines  or correct ruled shape without arcs  or <b>B1</b> for drawing $AE = 11$ cm or drawing $DE = 12$ cm  or correct point <i>E</i> without arcs and lines																												
5(c)(i)	Correct ruled bisector of angle <i>ABC</i> which reaches <i>DE</i> with two correct pairs of arcs	<b>B2</b>	<b>B1</b> for a correct ruled angle bisector with no/wrong arcs or two correct pairs of arcs																												
5(c)(ii)	Correct ruled perpendicular bisector of side <i>CD</i> which reaches <i>AE</i> with two correct pairs of arcs	<b>B2</b>	<b>B1</b> for a correct ruled perpendicular bisector with no/wrong arcs or two correct pairs of arcs																												
5(d)(i)	Constructed circle, centre 7 cm from <i>B</i> along bisector of <i>ABC</i> , with radius 3 cm	3	<b>3FT</b> along <i>their (c)(i)</i> <b>B1</b> for a circle, centre 7 cm from <i>B</i> , any radius <b>M1</b> for a circle, radius 3 cm seen anywhere																												
5(d)(ii)	942 or 943 or 942.4 to 942.6	2	<b>M1</b> for $(2 \times 150)\pi$ or $300\pi$ soi																												
6(a)	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th>F</th> <th>G</th> <th>S</th> <th>I</th> <th>J</th> <th>Tot</th> </tr> </thead> <tbody> <tr> <th>B</th> <td></td> <td>21</td> <td></td> <td></td> <td>8</td> <td></td> </tr> <tr> <th>G</th> <td>30</td> <td></td> <td></td> <td>11</td> <td></td> <td>139</td> </tr> <tr> <th>Tot</th> <td>57</td> <td></td> <td>102</td> <td></td> <td>20</td> <td></td> </tr> </tbody> </table>		F	G	S	I	J	Tot	B		21			8		G	30			11		139	Tot	57		102		20		3	<b>B2</b> for 6 or 7 correct  or <b>B1</b> for 3, 4 or 5 correct
	F	G	S	I	J	Tot																									
B		21			8																										
G	30			11		139																									
Tot	57		102		20																										
6(b)(i)	$\frac{54}{their139}$ oe isw	1	<b>FT</b> <i>their</i> table																												
6(b)(ii)	$\frac{46}{123}$ oe isw	1																													
6(b)(iii)	$\frac{209}{262}$ oe isw	1																													
6(c)(i)	[Chemistry] $80^\circ$ [Physics] $155^\circ$	2	<b>B1</b> for each or if 0 scored <b>M1</b> for $125 \div 25$ or $360 \div 72$ or 5  If 0 scored <b>SC1</b> for the two angles adding to $235^\circ$																												

Question	Answer	Marks	Partial Marks
6(c)(ii)	Two correct lines on the pie chart	2	<b>2FT</b> only if <b>(c)(i)</b> angles total $235^\circ$ <b>B1</b> for a correct sector of $125^\circ$ or $80^\circ$ or $155^\circ$
7(a)	1010	1	
7(b)(i)	22.4	1	
7(b)(ii)	6.2	2	<b>2FT</b> <i>their (b)(i)</i> $\times 1000 \div (60 \times 60)$ oe rounded to 1dp or <b>M1</b> for <i>their (b)(i)</i> $\times 1000 \div (60 \times 60)$ oe or $5600 \div (15 \times 60)$ oe
7(c)	Two correct ruled lines	2	<b>B1FT</b> for a line (09 55, 0) to ( <i>their 7(a)</i> , 5.6) <b>B1FT</b> for horizontal line ( <i>their 7(a)</i> , 5.6) to ( <i>their 7(a)</i> + 23, 5.6)
7(d)(i)	12	2	<b>M1</b> for $5.6 \div 28 [\times 60]$
7(d)(ii)	Correct line	1	<b>FT</b> line from (1007, 0) to $(1007 + \textit{their (d)(i)}, \textit{their 5.6})$
7(e)(i)	Correct line	1	<b>FT</b> line from ( <i>their 7(a)</i> + 23, 5.6) to (10 54, 0)
7(e)(ii)	16	2	<b>2FT</b> $5.6 \div (\textit{their time in minutes}) \times 60$ <b>M1</b> for $5.6 \div 21 [\times 60]$ soi or for $5.6 \div (\textit{their time in minutes})[\times 60]$
8(a)(i)	116	1	
8(a)(ii)	32	1	<b>FT</b> $(180 - \textit{their (a)(i)}) \div 2$
8(b)(i)	Pentagon	1	
8(b)(ii)	Angle [between] tangent [and] radius	1	
8(b)(iii)	108 Angles [on a straight] line [add up to] 180	2	<b>B1</b> for angle <b>B1</b> for reason
8(b)(iv)	72	1	

Question	Answer	Marks	Partial Marks
8(b)(v)	135	4	<p><b>B3FT</b> for  <math>(540 - (90 + \textit{their (b)(iii)} + \textit{their (b)(iv)})) \div 2</math> oe</p> <p>OR</p> <p><b>B2</b> for 540  or <b>M1</b> for <math>(5 - 2) \times 180</math> oe</p> <p><b>M1</b> for  <math>(P - (90 + \textit{their (b)(iii)} + \textit{their (b)(iv)})) \div 2</math>  oe where <math>P</math> is any value <math>&gt;270</math></p>
9(a)	20 nfw	3	<p><b>B2</b> for <math>6x - 4x = 28 + 12</math> or better</p> <p>or <b>B1</b> for <math>6x - 12</math> or <math>4x + 28</math>  or <b>B1FT</b> for correct <math>ax = b</math> after incorrect  expansions first step</p>
9(b)(i)	$3a + 8b = 93$	2	<b>B1</b> for $3a + 8b$
9(b)(ii)	For correctly eliminating one variable	<b>M1</b>	For correct method to equate coefficients and eliminate one variable
	$[a =] 7$	<b>A1</b>	
	$[b =] 9$	<b>A1</b>	<p>If 0 scored <b>SC1</b> for 2 values satisfying one of the original equations</p> <p><b>SC1</b> if no working shown, but 2 correct answers given</p>